

Supporting Information

Highly Stable Semiconducting Polymer Nanoparticles for Multi-Responsive Chemo/Photothermal Combined Cancer Therapy

Yu Xu¹, Xue Zhai¹, Peng Su¹, Tianqi Liu¹, Luyao Zhou¹, Jingjing Zhang¹, Biqing Bao^{1*}
and Lianhui Wang^{1*}

1. Key Laboratory for Organic Electronics and Information Displays & Jiangsu Key
Laboratory for Biosensors, Institute of Advanced Materials (IAM), Jiangsu National
Synergetic Innovation Center for Advanced Materials (SICAM), Nanjing University of
Posts & Telecommunications, Nanjing 210023, China

*Corresponding authors: iambqbao@njupt.edu.cn, iamlhwang@njupt.edu.cn




Figure S1. DLS data and TEM image (inset) of PDPP3T@PSNiAA NPs.




Figure S2. The UV spectra of PDPP3T NPs and PDPP3T@PNIPAMAA IPNs.




Figure S3. The zeta potential of PDPP3T@PNIPAMAA IPNs.




Figure S4. The photograph and DLS data of PDPP3T@PNIPAMAA IPNs in PBS, Tris-HCl, DMEM and 10% FBS+90% DMEM for 14 days.




Figure S5. The UV spectra of PDPP3T@PNIPAMAA IPNs for 30 days.




Figure S6. The photograph of PDPP3T@PNIPAMAA IPNs redispersed in aqueous solution after centrifugation.




Figure S7. *Ex vivo* PA intensity in various tissues from xenografted BALB/c nude mice before/after injection with PDPP3T@PNIPAMAA IPNs (**p<0.01).




Figure S8. Cytotoxicity of HeLa cells evaluated by MTT assay after incubated with free DOX.




Figure S9. H&E analyses of major organ tissues.