

Retraction

Retraction of “Tunable Plasmonic Nanoprobes for Theranostics of Prostate Cancer”

Ekaterina Y. Lukianova-Hleb, Alexander O. Oginsky, Adam P. Samaniego, Derek L. Shenefelt, Daniel S. Wagner, Jason H. Hafner, Mary C. Farach-Carson, Dmitri O. Lapotko

© Ivyspring International Publisher. This is an open access article distributed under the terms of the Creative Commons Attribution (CC BY-NC) license (<https://creativecommons.org/licenses/by-nc/4.0/>). See <http://ivyspring.com/terms> for full terms and conditions.

Published: 2017.01.07

Corrected article: *Theranostics* 2011; 1: 3-17.

The Editor-In-Chief of *Theranostics*, in consultation and agreement with the Research Integrity Officer of Rice University, retracts the article “Tunable Plasmonic Nanoprobes for Theranostics of Prostate Cancer” [1] on the basis of questions related to data falsification of several figures of the article. The questions about the falsified data also raise questions about the conclusions within the paper.

References

1. Lukianova-Hleb EY, Oginsky AO, Samaniego AP, Shenefelt DL, Wagner DS, Hafner JH, Farach-Carson MC, Lapotko DO. Tunable Plasmonic Nanoprobes for Theranostics of Prostate Cancer. *Theranostics* 2011; 1:3-17.