



2022; 12(14): 6157-6158. doi: 10.7150/thno.77019

Erratum

FOSL2 promotes VEGF-independent angiogenesis by transcriptionnally activating Wnt5a in breast cancerassociated fibroblasts: Erratum

Xueying Wan¹*, Shengdong Guan¹*, Yixuan Hou², Yilu Qin¹, Huan Zeng¹, Liping Yang¹, Yina Qiao¹, Shuiqing Liu¹, Qiao Li¹, Ting Jin¹, Yuxiang Qiu¹ and Manran Liu¹[⊠]

- 1. Key Laboratory of Laboratory Medical Diagnostics, Chinese Ministry of Education, Chongqing Medical University, Chongqing 400016, China.
- 2. Experimental Teaching Center of Basic Medicine Science, Chongqing Medical University, Chongqing 400016, China.

🖂 Corresponding author: Manran Liu, Key Laboratory of Laboratory Medical Diagnostics, Chinese Ministry of Education, Chongqing Medical University, No.1, Yi-Xue-Yuan Road, Yu-zhong District, Chongqing 400016, China. Tel: +86 23 68485938; Fax: +86 23 68485239; E-mail: manranliu@cqmu.edu.cn.

© The author(s). This is an open access article distributed under the terms of the Creative Commons Attribution License (https://creativecommons.org/licenses/by/4.0/). See http://ivyspring.com/terms for full terms and conditions.

Published: 2022.08.18

Corrected article: Theranostics 2021; 11(10): 4975-4991. doi: 10.7150/thno.55074.

The authors regret that the original article contains unintentional misuse of tubule formation images in Figure 6C and Figure 7B during figure assembly. The correct versions of Figure 6C and Figure 7B are shown here below. The replacement does not alter result interpretation and conclusion. The authors are deeply sorry and sincerely apologize for any inconvenience or misunderstanding that may have caused.




Figure 1: Corrected image for original Figure 6C

^{*}These authors contributed equally to this work.




Figure 2: Corrected image for original Figure 7B