

SCD1/FADS2 fatty acid desaturases equipose lipid metabolic activity and redox-driven ferroptosis in ascites-derived ovarian cancer cells: Erratum

Yang Xuan¹, Huogang Wang¹, Mingo MH Yung¹, Fushun Chen¹, Wai-Sun Chan¹, Yau-Sang Chan¹, Stephen KW Tsui², Hextan YS Ngan¹, Karen KL Chan¹✉ and David W Chan^{1,2}✉

1. Department of Obstetrics & Gynaecology, LKS Faculty of Medicine, The University of Hong Kong, Hong Kong SAR, P.R. China.
2. School of Biomedical Sciences, The Chinese University of Hong Kong, Hong Kong SAR, People's Republic of China.

✉ Corresponding authors: Dr. David W CHAN, Department of Obstetrics and Gynaecology, L747 Laboratory Block, LKS Faculty of Medicine, 21 Sassoon Road, Pokfulam, Hong Kong SAR, P.R. China; E-mail: dwchan@hku.hk, and 5/F Lo Kwee-Seong Integrated Biomedical Sciences Building, Area 39, CUHK. Phone: (852) 3943-6053; Fax: (852) 2603-5123; E-mail: dwchan@cuhk.edu.hk; or Dr. Karen KL CHAN, Department of Obstetrics & Gynaecology, 6/F Professorial Block, Queen Mary Hospital, Pokfulam, Hong Kong SAR, P.R. China; E-mail: kklchan@hku.hk.

© The author(s). This is an open access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>). See <https://ivyspring.com/terms> for full terms and conditions.

Published: 2026.05.07

Corrected article: *Theranostics* 2022; 12(7): 3534-3552. doi: 10.7150/thno.70194.

The authors regret that in the original version of our paper, the Western blots for SCD1/FADS2-knockout ES2 clones in Figure 2A were duplicated with those in Figure 3D. They have replaced Figure 2A with independent Western blots from the same SCD1/FADS2 CRISPR/Cas9-edited ES2 clones, which validate the results presented in Figure 3D. This correction does not affect the original data or conclusions. The authors apologize for any inconvenience caused by this error.




Figure A. Corrected Figure 2A.